

19 Solid Color Rubber Tile

20 Surface Textures

Circulinity™ Tile 22

Folio™ Tile 24

Prima® Marbleized™  
and Prima® Olio™ Tile 28

30 Minerality™

32 Mesto Configurations™  
Tile and Plank

34 Metallurgy™ Tile

38 MicroTone® Speckled Tile

Eco-Shell™ with  
Cork Tile 43

CorkTones™ 44

46 Arcade  
Rubber Sheet

▤ Rubber. Make a statement.

Vibrant. Attention-grabbing. Hand-waving and contagiously enthusiastic about flooring. That's Rubber. A flooring option that not only personifies creative expression, but inspires it as well.





1

SELECT A PATTERN

SOLID

MICROTONE\*

PRIMA\* MARBLEIZED™

PRIMA\* OLIO\*

MESTO CONFIGURATIONS™

MINERALITY™

METALLURGY™

ARTISTIC SQUARE

BAMBOO

BRUSHED

CIRCULINITY\* (5)

CONCRETE

CUBIS

FLAGSTONE\*

FOLIO™ (6)

HAMMERED

LEATHER

RAISED ROUND

RAISED SQUARE

RICE PAPER

SMOOTH

2

SELECT A TEXTURE

Choose from a wide variety of standard colors or create your own.

3

SELECT COLORS

### Talk tile.

Creating brilliant spaces starts with square one. Tiles, in this case. Choose bold colors that stand out, or neutral colors that blend in. Our flooring collection incorporates Color Foundations®, a system of guaranteed availability across 6 neutral palettes. Or, for the ultimate in design freedom, customize your own tiles in a Prima® Marbleized™, Prima® Olio® or Mesto Configurations™ design. Then, with performance features like natural slip resistance and shock-absorbing comfort, you'll arrive at solutions that look smart and act smart too.

**PALETTES A + B**  
For available standard colors, reference Color Palettes A and B on color guide in back. Custom colors available.

### Pipe up.

Just say it. Blur it out. Checkers. Zigzags. Bolder borders. Whatever you want in a floor. Rubber has a solution. From metallic to marbles to a myriad of colors. Or how about performance, patterns, textures, transitions. And dare we say, safety features, and speckles and shimmers – rubber, you don't just help designers make a statement, you help them make lots and lots of them.



#### Solid Color Rubber Tile


FloorScore® certified and meets CA 01350  
NSF-332 certified gold (UL)  
Cradle to Cradle certified  
A part of ReStart® program

tile size = 24" x 24"  
(610 mm x 610 mm nominal)  
thickness = 1/8" (3.175 mm)  
Raised Round and Raised Square textures also available in .155" (4 mm nominal) thickness


textures pg. 20  
adhesives pg. 190




# Talk texture.




Artistic Square (ART)




Cubis (CRT)



Bamboo (BMRT)




Flagstone (FRT)



Raised Round (RT-RD)



Brushed (BR)



Hammered (HRT)



Raised Square (RT-SQ)



Concrete (CO)



Leather (LR)



Rice Paper (FRPA)

Once you've conquered the industry's largest selection of colors, it's time to take on the textures – all 23 of them. Cubis to Concrete. Raised Round to Rice Paper. All available in 36 ColorMatch® choices that let you coordinate finishing borders, accessories, stairwell management and more.


With natural slip resistance, rubber flooring helps maximize safety in high-risk environments such as hospitals, nursing homes and daycare centers. It also helps absorb noise and reduce shock, which makes it very valuable to those on their feet all day.

Circulinity® textures shown on pages 22-23.

Folio™ textures shown on pages 24-25.

† Available in coordinating rubber tread with integrated riser. See page 154.

Textures shown in one-half actual size.



Smooth (RET)

# Texture tell-all.

RUBBER TILE TEXTURE AVAILABILITY										
Textures	Tile Patterns								Sizes	
	Solid Color	1/8" MicroTone® Speckled Rubber Tile	.080"/2 mm MicroTone Speckled Rubber Tile and Mesto®	Prima® Olio® and Prima Marbleized™ Tile	Minerality™	Metallurgy™	CorkTones™	Eco-Shell™ with Cork	12" x 12" (305 mm x 305 mm)	24" x 24" (610 mm x 610 mm)
<b>FOLIO™</b>										
Arbor	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Bamboo Leaf	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Botany	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Branches	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Hammered	STD	STD	STD	STD	SO	STD	STD	STD	SO	STD
Rice Paper†	STD	STD	STD	STD	SO	N/A	SO	SO	SO	STD
River Cane	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Seasons	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
<b>CIRCULINITY®</b>										
Effervescent®	STD	SO	N/A	SO	SO	N/A	N/A	N/A	N/A	STD
FastLane†	STD	SO	N/A	SO	SO	N/A	N/A	N/A	N/A	STD
Round-A-Bout®	STD	SO	N/A	SO	SO	N/A	N/A	N/A	N/A	STD
Tic-Tac-Toe®	STD	SO	N/A	SO	SO	N/A	N/A	N/A	N/A	STD
Tricycle®	STD	SO	N/A	SO	SO	N/A	N/A	N/A	N/A	STD
<b>TRADITIONAL</b>										
Artistic Square	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Bamboo†	STD	STD	N/A	SO	SO	N/A	SO	SO	N/A	STD
Brushed	STD	SO	SO	SO	SO	SO	N/A	N/A	SO	STD
Concrete	STD	SO	SO	SO	SO	N/A	SO	SO	N/A	STD
Cubis†	STD	SO	N/A	SO	SO	N/A	SO	SO	N/A	STD
Flagstone®	STD	SO	N/A	SO	SO	N/A	N/A	N/A	SO	STD
Hammered†	STD	STD	STD	STD	SO	STD	STD	STD	SO	STD
Leather	STD	SO	SO	SO	STD	N/A	N/A	N/A	SO	STD
Raised Round†	STD	STD	N/A	SO	SO	N/A	SO	SO	N/A	STD
Raised Square†	STD	STD	N/A	SO	SO	N/A	SO	SO	N/A	STD
Rice Paper†	STD	SO	STD	STD	SO	N/A	SO	SO	SO	STD
Smooth (for accents and borders)	STD	N/A	N/A	STD	N/A	N/A	N/A	N/A	SO	STD

**How to order:** Specify Texture Code below Swatch-Color Number-Gauge. For example, to order Rice Paper in color 49 Beige in 1/8" gauge, specify: FRPA - 49 - 1/8".  
 STD = Standard SO = Special Order N/A = Not Available †Available in coordinating tread with integrated riser.



tile size = 24" x 24"  
 (610 mm x 610 mm nominal)  
 thickness = 1/8" (3.175 mm)  
 and .080" (2 mm)  
 Raised Round and Raised Square textures also available in .155" (4 mm nominal) thickness

textures pg. 20  
 adhesives pg. 190

# Circulinity®. Shape your opinion.



### Circulinity Solid Colors

FloorScore® certified and meets CA 01350  
NSF-332 certified gold (UL)  
Cradle to Cradle certified  
A part of ReStart® program


tile size = 24" x 24"  
(610 mm x 610 mm nominal)  
thickness = 1/8" (3.175 mm)

textures pg. 20  
adhesives pg. 190


Circles don't stop. Neither do the high-energy design options that feature them. Meet Circulinity®, a component rubber tile system that includes 5 different interchangeable patterns featuring circles and lines. They're great grouped together or individually or mixed with any of Johnsonite's other 18 textures. Each design has distinctive light refraction built into each tile, so even the most imaginative design gets the added benefit of luminous special effects.



FastLane® (CFL)



Tricycle® (CTR)



Round-A-Bout® (CRB)

### PALETTES A + B

For available standard colors, reference Color Palettes A and B on color guide in back. Custom colors available.



Circulinity is also available in coordinating FastLane stair treads.

Stair treads are available with or without an integrated riser, both with and without striping for the visually impaired.



Tic-Tac-Toe® (CTT)




Effervescent® (CEF)



See page 26 for 40 Circulinity® favorites. A color palette developed especially to highlight the patterns and textures of this modern textile-inspired tile.

To create your own unique space with Circulinity, try the Circulinity Visualizer on [johnsonite.com](http://johnsonite.com).







Talk about distinctive. Nature-inspired Folio™ textured rubber tile includes 8 playful foliage patterns worthy of a look and listen. Textured leaves and branches pop out of each coordinated tile so you can group them, form a border or imagine an area rug type installation designed solely to generate ooohs and ahhs from any audience.



Folio™. Act natural.



Arbor (FARB)



Branches (FBRN)



Bamboo Leaf (FBLF)



River Cane (FRCN)



Botany (FBOT)



Seasons (FSEA)



Hammered! (HRT)



Rice Paper (FRPA)

Add inset details, create an area rug style or design your own distinct patterns for floors that have never been seen before. It's all possible with Folio.



**Folio™ Solid Colors**

FloorScore® certified and meets CA 01350

NSF-332 certified gold (UL)

Cradle to Cradle certified

A part of ReStart® program

tile size = 24" x 24"

(610 mm x 610 mm nominal)

thickness = 1/8" (3.175 mm)

adhesives pg. 190

†Available in coordinating tread with integrated riser.

Anything is possible with Folio, part of the world's most integrated, high performance system of flooring, finishing borders, transitions, stairwell solutions and more. They all work together aesthetically and functionally to bring a real lifetime return.





40 FOLIO™ AND CIRCULINITY® FAVORITES

15 Cabernet	18 Navy Blue	20 Charcoal WG	38 Pewter CG
41 Sea Breeze	55 Silver Grey WG	58 Windsor Blue	59 Heather Green
63 Burnt Umber B	72 Harbour	73 Palm Leaf	76 Cinnamon
80 Fawn CB	281 Grizzly	283 Toast	44 Dark Brown
84 Blue Jeans	92 Blue Lagoon	111 Honeycomb	130 Sisal
148 Paprika	146 Butternut	151 Iguana	163 Salsa
165 Squashed	166 Sienna	190 Greege	280 Shoreline
282 Vaporize	286 Fortune Cookie	TB6 Flame	293 Peacock
471 Bok Choy	472 Imperial	473 Butterscotch	474 Zen
475 Marshland	590 Denim	592 Seafoam	593 Duckweed



All colors available in finishing borders and finishing accessories.



Designed to bring the outdoors in, the Folio™ and Circulinity® collections are available in Color Palettes A and B. However, we've selected 40 of those as being especially good choices to bring out the detail and light reflection inherent in the Folio and Circulinity collections. Start here and see where the possibilities lead you.







## Prima® Marbleized™ and Prima® Olio®. Make something up.

Ditching dull is where this discussion begins. Have a design in mind that's so unique that it doesn't exist? Well, not for long. Johnsonite® makes it easy to integrate ideas and colors into your own signature rubber flooring – while factoring in safety, productivity and comfort, of course. Capture the character of your space with your own marbled or oil-and-water effect designs. With our custom Prima® offerings, expressing your signature style has never been simpler.



### 1 CHOOSE FLOORING COLORS, TEXTURE AND PATTERN.



### 2 APPLY.

Imagine the possibilities with Johnsonite's Design A Space PRO Visualizer on [johnsonite.com](http://johnsonite.com). After choosing a field color and texture, click to select each of the accent vein colors in your Prima Marbleized™ or Prima Olio® design. Once satisfied, you can print it, email it, download it as a PDF, or save it for future consideration. Johnsonite makes it easy to create a custom floor design that reflects your own signature style.



#### Prima Standard

- FloorScore® certified and meets CA 01350
- NSF-332 certified gold (UL)
- Cradle to Cradle certified
- A part of ReStart® program
- .....
- tile size = 12" x 12" (305 mm x 305 mm nominal)
- 24" x 24" special order (610 mm x 610 mm nominal)
- thickness = 1/8" (3.175 mm)
- standard textures = Hammered, Rice Paper, Smooth.
- All others special order.
- Naturally slip resistant
- .....

adhesives pg. 190



MINERALITY™ STRATA



MINERALITY™ GRAINS




**Minerality™**  
 FloorScore® certified and meets CA 01350  
 NSF-332 certified gold (UL)  
 Cradle to Cradle certified  
 A part of ReStart® program

tile size = 12" x 24"  
 (305 mm x 610 mm nominal)  
 plank size = 6" x 48"  
 (152 mm x 1.22 m nominal)  
 thickness = 1/8" (3.175 mm)

adhesives pg. 190

AVAILABLE IN THESE STANDARD SIZES




\* Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



# Mesto Configurations™. Perfect harmony.

Listen to this. An organic and balanced blend of shapes and colors that will harmonize your space. Keep talking right?! The Mesto Configurations™ family contains marbledized colorways in 6" x 6", 12" x 12" or 24" x 24" tiles, plus 6" x 12" or 6" x 24" planks. They also come in standard colors, and varied lighter and darker tones much like natural stone. The perfect matchup. Any way you look at it.

## AVAILABLE IN THESE STANDARD SIZES



### Mesto Configurations

FloorScore® certified and meets CA 01350  
 NSF-332 certified gold (UL)  
 Cradle to Cradle certified  
 A part of ReStart® program

tile size = 6" x 6"  
 (152 mm x 152 mm nominal)  
 12" x 12"  
 (305 mm x 305 mm nominal)  
 6" x 24"  
 (152 mm x 610 mm nominal)  
 12" x 24"  
 (305 mm x 610 mm nominal)  
 24" x 24"  
 (610 mm x 610 mm nominal)

thickness = .080" (2 mm)  
 1/8" (3.175 mm) by special order

adhesives pg. 190



 <b>PR9L</b> <b>PR9</b> <b>PR9D</b> <b>PR9 Story Book</b> 27 Mist WG *	 <b>PR3L</b> <b>PR3</b> <b>PR3D</b> <b>PR3 Gallant Steed</b> 461 Wicker WB *
 <b>PS3L</b> <b>PS3</b> <b>PS3D</b> <b>PS3 Noble Knight</b> TA5 Colonial Grey CG *	 <b>PR6L</b> <b>PR6</b> <b>PR6D</b> <b>PR6 Mystic Unicorn</b> TA3 Castaway CB *
 <b>PS1L</b> <b>PS1</b> <b>PS1D</b> <b>PS1 Sorcerer's Wand</b> 32 Pebble WG *	 <b>PR4L</b> <b>PR4</b> <b>PR4D</b> <b>PR4 Golden Slumber</b> 130 Sisal *
 <b>PS5L</b> <b>PS5</b> <b>PS5D</b> <b>PS5 Maiden Voyage</b> TA4 Gateway WG *	 <b>PR5L</b> <b>PR5</b> <b>PR5D</b> <b>PR5 Dragon's Breath</b> 273 Copper Penny *
 <b>PS2L</b> <b>PS2</b> <b>PS2D</b> <b>PS2 Glass Slipper</b> 291 Laguna *	 <b>PR7L</b> <b>PR7</b> <b>PR7D</b> <b>PR7 Enchanted Forest</b> 151 Iguana *
 <b>PS4L</b> <b>PS4</b> <b>PS4D</b> <b>PS4 After Midnight</b> TA9 Indigo *	 <b>PR8L</b> <b>PR8</b> <b>PR8D</b> <b>PR8 Trow's Bridge</b> 283 Toast *

\*Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.






# Metallurgy™ Spout sophistication.

Surround yourself in gold, silver and platinum without sounding the least bit snobbish. The elegant beauty of a metallic floor is well within your reach. Meet Metallurgy™. By combining the look of natural metals with the performance of rubber, adding a vintage copper or frosted diamond accent is not only posh, it's practical and possible.

*Create amazingly authentic-looking metallic floor designs without all the expense or the noise. Offering excellent shock and noise reduction, Metallurgy is also naturally slip resistant – proof from Johnsonite® that a quieter, safer solution can also be daring in design.*

All tiles on right shown at actual size in Hammered texture.




\*Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.






METALLURGY™ CONTINUED




CGL Frosted Diamond CG  
69 Sterling Silver CG \*




WGM Dusty Charm WG  
179 Steel WG \*




CPM Vintage Copper  
177 Copper \*




CGD Black Diamond B  
82 Black Pearl B \*




WGL Antique Metal WG  
179 Steel WG \*



AGM Venetian Gold  
67 Old Gold \*



CPD Chocolate Frosting  
66 Either Ore \*



WGD Smokey Pearl B  
82 Black Pearl B \*

All tiles on right shown at actual size in Hammered texture.



Metallurgy™

tile size = 24" x 24"  
(610 mm x 610 mm nominal)  
thickness = 1/8"  
(3.175 mm)

adhesives pg. 190

Metallurgy available in Hammered stair treads. See stair section for details.

From flooring to bases to transitions, these options were designed to coordinate perfectly. Eliminating guesswork and allowing you to design with ease.

ACCESSORIES

67 Old Gold




METALLURGY

AGM Venetian Gold



GEMSTONE® METALLICS SVT

607 Twinkle



iQ™ OPTIMA®

860 Malt



\* Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



# MicroTone®. Keep your options open.




Bring together 82 dynamic colorways, a spectrum of speckles, all of the finest performance attributes and you've got a match made in project heaven. Get life-safety, durability, comfort and life-cycle benefits in .080" or 1/8" thickness with finishing borders, transitions and stair treads to match. Plus, with our Design A Space PRO Visualizer, you can even create your very own custom tile colorway. We'll make you an actual production sample. And we'll make your day while we're at it!

## MICRO TONE®


\*Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



MICROTONE® CONTINUED



MicroTone




FloorScore® certified and meets CA 01350  
 NSF-332 certified gold (UL)  
 Cradle to Cradle certified  
 A part of ReStart® program

tile size = 24" x 24"  
 (610 mm x 610 mm nominal)  
 thickness = 1/8" (3.175 mm)  
 .080" (2 mm)

textures pg. 20  
 adhesives pg. 190



*Our MicroTone® Speckled Rubber Tile offers underfoot comfort that makes it a great choice for many types of applications, including busy classrooms, office corridors, retail spaces and more. Naturally slip resistant, these rubber tiles help to reduce the risk of expensive slips and falls, and the resultant physical and financial costs that can ensue.*



Color Foundations™ is our commitment to always have representation across 6 key neutral palettes. We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).

S0 = Special Order

\*Suggested Johnstone® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



## Eco-Naturals™ Voice your choice.

Say you want to make the world a better place. Well you have to start somewhere. And we have just the thing – Eco-Naturals™ sustainable flooring. Eco-Naturals Eco-Shell™ with Cork and Eco-Naturals CorkTones™ are both engineered with rapidly renewable resources, like cork and walnut shells. These rubber flooring options will help specifiers achieve LEED accreditation – and help a whole lot of us take better care of the only earth we've got.



*We're committed to developing products that deliver more than just ROI. Our goal is to provide solutions that balance all the competing needs of your space – function and aesthetics, first-time costs and lifetime return, safety and efficiency – with your desire to use products that create less impact on the planet. To learn more about our environmental initiatives, positioning and products, visit [tarketna.com](http://tarketna.com).*

### ECO-SHELL WITH CORK

 <b>DE8 Snow Bird W</b> 01 Snow White W *	 <b>DE9 Fossil WB</b> 09 Clay WB *	 <b>DN7 Sun Tan WB</b> 49 Beige WB *	 <b>DH7 Sandstorm</b> 19 Desert Camel *	 <b>DP5 Strand</b> 130 Sisal *	 <b>DP6 Nutshell</b> 146 Butternut *
 <b>DN6 Spot On WB</b> 45 Sandalwood WB *	 <b>DQ2 Destiny WB</b> 286 Fortune Cookie WB *	 <b>DP2 Sea Grass</b> 101 Seaweed *	 <b>DP3 Timber</b> 112 Oakley *	 <b>DP9 Ruddy</b> 259 Terra Firma *	 <b>DN9 Spotty</b> 76 Cinnamon *
 <b>DQ1 Panache</b> 284 Ganache *	 <b>DP8 Appaloosa B</b> 167 Fudge *	 <b>DP7 Grass Spots B</b> 150 Wetlands *	 <b>DH9 Mars Rock WG</b> 29 Moon Rock WG *	 <b>DP1 Baby Deer CB</b> 80 Fawn CB *	 <b>DN5 Pacific Storm WG</b> 48 Grey WG *
 <b>DJ1 Grainy WG</b> 32 Pebble WG *	 <b>DJ2 Ashen CG</b> 38 Pewter CG *	 <b>DP4 Deep Sea</b> 123 Mineral Springs *	 <b>DH8 Lunar Sky WG</b> 20 Charcoal WG *	 <b>DN8 Spicy Brown B</b> 63 Burnt Umber B *	 <b>DJ3 Spring Nights B</b> 40 Black B *

\*Suggested Johnsonite colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

## Eco-Shell™ with Cork. Rally your resources. >>

Bring together dust from walnuts and cork from pre-consumer waste streams, and you've got Eco-Shell™ with Cork. With 7% by weight renewable and recycled content, these rubber tiles don't stop at eco-friendly. These 24" x 24" textured tiles coordinate easily with other Johnsonite® flooring, treads and accessories. Plus, they're available in 24 colors, making them ideal for a wide range of projects.



### Eco-Shell with Cork Rubber Tile

Cradle to Cradle certified

**Recycled Content**  
Pre-consumer 7%

**Rapidly Renewable Resources**  
All profiles 7%

.....  
tile size = 24" x 24"  
(610 mm x 610 mm nominal)  
thickness = 1/8" (3.175 mm)  
.....

adhesives pg. 190



# CorkTones™ Respond responsibly.

Now's your chance to have your actions speak on your behalf. Making sustainable choices like CorkTones™ Rubber Tile puts conservation into action. Available in 36 ColorMatch® colors, as well as all the standard rubber colors by special order, and made up of 2.5% rapidly-renewable cork, this solution goes beyond workable to wonderful. Plus it comes in 24" x 24" Hammered texture tiles as standard, offers stair treads with or without risers, and can accommodate striping for the visually impaired.



### CorkTones

FloorScore® certified and meets CA 01350

Cradle to Cradle certified

Recycled Content  
Pre-consumer 2.5%

Rapidly Renewable Resources  
All profiles 2.5%

tile size = 24" x 24"  
(610 mm x 610 mm nominal)  
thickness = 1/8" (3.175 mm)

adhesives pg. 190



## CORKTONES™

 09 Clay WB 09 Clay WB *	 49 Beige WB 49 Beige WB *	 55 Silver Grey WG 55 Silver Grey WG *	 32 Pebble WG 32 Pebble WG *	 42 Sable WB 42 Sable WB *	 38 Pewter WG 38 Pewter WG *
 28 Medium Grey CG 28 Medium Grey CG *	 80 Fawn CB 80 Fawn CB *	 29 Moon Rock WG 29 Moon Rock WG *	 48 Grey WG 48 Grey WG *	 20 Charcoal WG 20 Charcoal WG *	 47 Brown 47 Brown *
 63 Burnt Umber B 63 Burnt Umber B *	 40 Black B 40 Black B *	 76 Cinnamon 76 Cinnamon *	 130 Sisal 130 Sisal *	 45 Sandalwood WB 45 Sandalwood WB *	 85 Burgundy 85 Burgundy *
 58 Windsor Blue 58 Windsor Blue *	 71 Storm Cloud CG 71 Storm Cloud CG *	 92 Blue Lagoon 92 Blue Lagoon *	 86 Hunter Green 86 Hunter Green *	 18 Navy Blue 18 Navy Blue *	 11 Canvas WB 11 Canvas WB *
 44 Dark Brown B 44 Dark Brown B *	 129 Silk WB 129 Silk WB *	 132 Espresso 132 Espresso *	 150 Wetlands 150 Wetlands *	 167 Fudge 167 Fudge *	 283 Toast 283 Toast *
 01 Snow White W 01 Snow White W *	 34 Almond W 34 Almond W *	 22 Pearl CB 22 Pearl CB *	 24 Grey Haze WG 24 Grey Haze WG *	 31 Zephyr CB 31 Zephyr CB *	 21 Platinum CG 21 Platinum CG *

\*Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.





**Arcade**

FloorScore® certified and meets CA 01350  
A part of ReStart® program

Made in the USA

thickness = 2 mm (.080") and 3 mm (.118")  
roll length = 35' - 45' long (10.7 m x 13.7 m)  
roll width = 6' wide (1.8 m)





















adhesives pg. 190

*The Solid Weld Rods (SWRD) listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.*

## Arcade Rubber Sheet Flooring. State the obvious.

Whenever durability, maintenance and aesthetics meet, you've got yourself a flooring option worth considering – and that's Arcade Rubber Sheet Flooring. It comes in generous 6' widths for seamless, labor-saving hallway and corridor applications. And with its underfoot comfort, noise and impact absorption, slip resistance and shock absorbency, Arcade is the value-oriented solution you want to get to know a bit better.







### ARCADE SPECKLED

 <b>HA3 Tower City WB</b> SWRD - 49 49 Beige WB *	 <b>HA4 Public Square CB</b> SWRD - 22 22 Pearl CB *	 <b>HA5 West Side Market CB</b> SWRD - 80 80 Fawn CB *	 <b>HA6 Coventry CB</b> SWRD - 31 31 Zephyr CB *	 <b>HA7 University Circle WB</b> SWRD - 11 11 Canvas WB *	 <b>HA8 Euclid Beach W</b> SWRD - 68 68 White Sand W *
 <b>HA9 Playhouse Square WG</b> SWRD - 32 32 Pebble WG *	 <b>HB1 Tremont WG</b> SWRD - 24 24 Grey Haze WG *	 <b>HB2 The Flats CG</b> SWRD - 38 38 Pewter CG *	 <b>HB3 Severance Hall CG</b> SWRD - 23 23 Vapor Grey CG *	 <b>HB4 North Coast Harbor</b> SWRD - 58 58 Windsor Blue *	 <b>HB5 Edgewater</b> SWRD - 632 632 Cilantro *
 <b>HB6 Shaker Square</b> SWRD - 107 107 Neutrality *	 <b>HB7 Cain Park WB</b> SWRD - 09 09 Clay WB *	 <b>HB8 Hopkins</b> SWRD - 130 130 Sisal *	 <b>HB9 Agora</b> SWRD - 48 48 Grey *	 <b>HC1 Warehouse</b> SWRD - 47 47 Brown *	 <b>HC2 Glenville WG</b> SWRD - 20 20 Charcoal WG *
 <b>HC3 East Ninth WG</b> SWRD - 29 29 Moon Rock WG *	 <b>HC4 Gray Armory WG</b> SWRD - 55 55 Silver Grey WG *				

\*Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



ARCADE TONAL



\*Suggested Johnsonite® colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

