

Materials Safety Data Sheet



to

Coffee Spotter

SECTION I - PRODUCT IDENTIFICATION

MANUFACTURER: XL North, P.O. Box 2682, 63 Water Street, Fall River, MA 02722

Telephone: 888-530-2259 Fax: 508-673-2222

PRODUCT NAME: Coffee Spotter

PRODUCT TYPE: Removes Coffee, Tea, Cola's and Tannin Spots

SECTION II - HAZARDS IDENTIFICATION

ROUTE OF ENTRY:	Eyes; Skin; Inhalation
TARGET ORGANS:	Eyes; Skin
INHALATION:	Minimal respiratory tract irritation may occur with exposure
a large amount of material.	
SKIN CONTACT:	May cause irritation.
EYE CONTACT:	May cause irritation.
INGESTION:	Ingestion is not applicable route of entry for intended us
HMIS HEALTH:	1
HMIS FLAMMABILITY:	1
HMIS REACTIVITY:	0
HMIS PPE GUIDE:	В
This MSDS conforms to the requirements con	tained in 29CFR1910.1200
HMIS Key: 4 = Extreme, 3 = High, 2 = Modera	ate, 1 = Slight, 0 = Insignificant

	This MSDS conforms to the requirements contained in 29CFR1910.1200		
	HMIS Key: 4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant		
SECTION III - HAZARDS IDENTIFICATION			N
	CAS#	Percentage	Chemical Name
	7631-90-5	<7%	Sodium bisulfite
	34590-94-8	<4%	Dipropylene glycol methyl ether
OSHA REGULATORY STATUS:This SDS contains valuable information critical to the safe		This SDS contains valuable information critical to the safe	
handling and proper use of this product. This SDS should be retained and available for employees and other			
	users of this product.		

SECTION IV - FIRST AID MEASURES

INHALATION:	If symptoms develop, move victim to fresh air; if symptoms
persist, obtain medical attention.	
SKIN CONTACT:	Wash with soap and water. If irritation persists consult
medical personnel.	
EYE CONTACT:	Immediately flush eyes with large amounts of water for at
least 15 minutes, lifting eyelids occasionally to	facilitate irrigation. Get immediate medical attention.
INGESTION:	If swallowed, DO NOT induce vomiting unless directed to do
so by medical personnel. If injured party is conso	cious, give two glasses of water. Seek medical attention.

SECTION V - FIGHTING MEASURES

FLASH POINT:	.100°C/	212°F
FLASH POINT METHOD:	Closed	Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container. Ventilate area and wash spill site after material pickup is complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SECTION VII - HANDLING AND STORAGE

	HANDLING PRECAUTIONS:	Avoid contact with eyes, skin, or clothing; Consider
	normal working hygiene. Handle with car	re and avoid spillage on the floor (slippage). Keep away from
sources of ignition; wash thoroughly after handling.		
	OTODA OF DECLUDES SENTO	

STORAGE REQUIREMENTS:Keep away from children. Store in cool/dry area; Keep container closed.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

02011011 TIII	
ENGINEERING CONTROLS:	.Normal room ventilation is satisfactory for limited use.
PERSONAL PROTECTIVE EQUIP:	.HMIS PP, B Safety glasses, Gloves

Phosphoric Acid 7664-38-2 OSHA PEL 1 mg/m3

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear colorless
PHYSICAL STATE:	Liquid
ODOR:	Sulfur
SPEC GRAV./DENSITY:	8.68 lb/gal
SOLUBILITY:	Soluble
pH:	4.44 as is 3.5 - 4.5 RTU

SECTION	SECTION X - STABILITY AND REACTIVITY	
STABILIT	TY:	. Product is stable under normal conditions.
CONDIT	IONS TO AVOID:	.None Known
MATERIA	ALS TO AVOID:	.None Known
HAZARDO	OUS DECOMPOSITION:	. Exposure to fire may liberate carbon dioxide, carbon monoxide,
orga	nic acids, and other unidentified thermal deco	mposition products from this product or its packaging.
HAZARD	OOUS POLYMERIZATION:	.Will not occur

SECTION XI - TOXICOLOGICAL INFORMATION

Sodium Molybdate 7631-95-0

01012 (25 00)	99
INHALATION (LC 50):	2080 mg/m3/4H - Rat
SKIN IRRITATION:	Mild
EYE IRRITATION:	Moderate
SENSITATION:	Not considered an occupational sensitizer
Dipropylene glycol methyl ether 34590-94-8	
ORAL (LD 50):	5400 uL/kg - Rat
INHALATION (LC 50):	Not listed on RTECS
SKIN IRRITATION:	Mild - Rabbit
EYE IRRITATION:	Mild - Rabbit
SENSITATION:	Not considered an occupational sensitizer

SECTION XII - ECOLOGICAL INFORMATION

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

SECTION XIV - TRANSPORT INFORMATION

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.

SECTION XV REGULATORY INFORMATION

US Federal Regulations:

COMPONENT/ (CAS/PERCENT) / CODES

*Sodium bisulfite (7631905 < 7%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR, WHMIS *Dipropylene glycol methyl ether (34590948 < 4%) MASS, OSHAWAC, PA, TSCA, TXAIR, WHMIS

Regulatory Key Descriptions:

CERCLA = Superfund clean up substance

CSWHS = Clean Water Act Hazardous substances MASS = MA Massachusetts Hazardous Substances List

OSHAWAC = OSHA Workplace Air Contaminants

PA = PA Right-to-know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

WHMIS = Workplace Haz Mat Info Sys Canada

SECTION XVI - OTHER INFORMATION

This information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of out knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.



Questions or Comments: 888-530-2259 www.xlnorth.com

©2013 XL North, Fall River, MA 02722 USA

FOR CHEMICAL EMERGENCY

Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1 800-424-9300 Outside USA and Canada: + 1 703-527-3887 (collect calls accepted)

Rev. 091213a