



Low Odor Non-ammoniated Floor Finish Stripper

% BY WGHT.

OSHA PEL/ ACGIH TLV

Material Safety Data Sheet

HMIS RATINGS:

CAS NUMBER

Flammability: Reactivity: Personal Protection: Ō D

Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: XL Green Floor Stripper Product Type:

CHEMICAL NAME

Liquifying Stripper XL North, PO Box 2682, Fall River, MA 02722 Company Identification:

Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

Dipropylene Glycol n-butyl Ether Monoethanolamine 29911-28-2 10 mg/m3 < 10.0 3 ppm 67-63-0 Isopropanol < 10.0 400 ppm See Section 15 for more information, n/e = n one established - n/a = n ot applicable

Section 3: HAZARDS IDENTIFICATION EMERGENCY OVERVIEW

DANGER. Corrosive. Combustible. Keep away from heat and flame. May cause moderate to severe eye and skin irritation. May be harmful or fatal if swallowed.

Primary Route of Entry: Eye contact, skin contact Acute/Potential Health Effects:

EYES: Causes severe irritation experienced as discomfort or pain, excess blinking and tear production, with redness and swelling of the conjunctiva.

SKIN: Brief contact may cause slight irritation. Prolonged contact may cause more severe irritation with pain, local redness and swelling and possible tissue destruction.

INHALATION: High concentrations of vapor or mists may cause irritation of the respiratory tract. INGESTION: Harmful or fatal if swallowed. Corrosive. Can cause severe burns and complete tissue perforation of mucous membranes, mouth, throat and stomach.

Chronic / Long Term Effects: No data.

Signs and Symptoms of Overexposure: Dermal exposure may cause local redness and swelling, pain and discomfort

Target Organ Effects: Lungs and upper respiratory tract, gastrointestinal tract, eyes, skin. Reproductive/Developmental Information: No data.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

Section 4: FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SKIN: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen

INGESTION: Seek medical attention immediately. Do not induce vomiting. If victim is alert, give 1/2 to 1 glass of water. Call a poison control center or doctor for treatment advice.

Section 5: FIRE FIGHTING MEASURES

Flash Point: 120 degrees F (T.O.C. Method)

Extinguishing Media: Dry chemical, CO2 or foam is recommended.

Special Fire Fighting Instructions: Wear a self contained breathing apparatus with a full face piece operated in the positive pressure demand mode. Chemical resistant PPE is recommended.

Section 6: ACCIDENTAL RELEASE MEASURES

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Absorb spill with inert material (e.g. dry sand, earth). Prevent runoff from entering drains, sewers or other bodies of water. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

Section 7: HANDLING AND STORAGE

Follow all MSDS/label precautions even after container is emptied because they may contain product residues. Use with adequate ventilation. Do not get in eyes, on skin or clothing. Store in a cool dry place. Keep container closed when not in use. Keep out of reach of children.



Questions or Comments: 888-530-2259

www.x|north.com

©2013 XL North, Fall River, MA 02722 USA

Section 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Eye Protection: Wear safety glasses or goggles and face shield. Remove contact lenses. Skin Protection: Wear impervious gloves (made from rubber, nitrile or neoprene) clothing and

Respiratory Protection: When respiratory protection is required, use an organic vapor & particulate cartridge. All respiratory programs must meet OSHA's 29 CFR 1910.34 & ANSI Z88.2

Engineering Controls: Good general ventilation required.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Clear, colorless odorless liquid pH Concentrate: 11.5 Complete Vapor Pressure [mmHg]: n/e Appearance and Odor: Solubility in Water:

n/e Vapor Density [Air=1]: n/e

Evaporation Rate (Butyl Acetate=1): Specific Gravity [H20=1]: 1.0 Boiling Point: >212 F

Section 10: REACTIVITY

Stability: Hazardous Polymerization: Stable Will not occur Conditions to avoid: Hazardous Decomposition Products: High temperature None

Strong acids, water, certain metals (aluminum) Incompatibility:

Section 11: TOXICOLOGICAL INFORMATION

Section 12: ECOLOGICAL INFORMATION

Section 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: TRANSPORTATION INFORMATION

D.O.T. Shipping Name / Class: Corrosive Liquid, Basic, organic, N.O.S., 8 UN3267, II (Contains

Section 15: REGULATORY INFORMATION

Federal Regulations:

TSCA (Toxic Substances Control Act): The intentional ingredients of product are listed.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic() Fire() Pressure() Reactive() Not Applicable()

Title III Section 302/304 Extremely Hazardous Substances - 40 CFR 355 Appendix A

Title III Section 313 Toxic Chemicals - 40 CFR 372.65

If indicated under Section 2 of this MSDS, this product contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning & Community Right to Know Act of 1986. This information must be included in all MSDS that are copied and distributed for this

RCRA Status: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes a hazardous waste it would be assigned

State and Local Regulations: Certain states maintain their own ingredient lists which differ slightly from the Federal standards. If indicated under Section 2 of this MSDS, states listed below may have regulations on ingredients contained in this product. Check with your state for any additional regulations. California proposition 65 (Safe Drinking Water & Toxic Enforcement Act of 1986) Massachusetts (Hazardous Substance Disclosure by Employers)

Section 16: OTHER INFORMATION

This information was compiled from current manufacturer's MSDS's of the component parts of

Disclaimer: The Manufacturer believes that the information contained in the Material Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

FOR CHEMICAL EMERGENCY

Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1 800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Rev. 011414a